BEARINGS & TRANSMISSION

Drive Belts, Chains & Couplings



Power-transmission components matched by their complete reference, geometry and driven-machine duty. Select a dedicated belt, sprocket, chain or coupling range for detailed enquiry options, or use this page when a worn component needs identifying.

Unit for enquiry: each | Product range

Product range example; confirm the make and configuration quoted.

PRODUCT DETAILS

Belts	Profile, length and width
Chains	Standard, pitch and number of strands
Couplings	Type, bore sizes and shaft details

TYPES / CONFIGURATIONS

V-belt | Timing belt | Roller chain | Coupling / pulley | Bellows coupling | Jaw / spider coupling | HRC coupling | Torque limiters enquiry

This is a Beccentric product information and selection sheet. It is not a certified engineering drawing or a guarantee of stock. Confirm the exact product, compatibility and operating limits before ordering.

BECCENTRIC (PVT) LTD
sales@beccentric.net | Mary: +263 780 864 277 | Tino: +263 779 098 357
Building 02, Luo Industrial, 1366 Ambleside Road, Aspindale, Harare

Specify your requirement

Drive Belts, Chains & Couplings

The choices below help prepare an enquiry. Other sizes and identification assistance can be requested. Not every combination is available.

Size / dimensions	Enter your dimensions / reference, or ask for help identifying the item. Enter the dimensions you have, or choose help with identification.
Belt / chain / coupling profile	e.g. belt profile and length, chain pitch or coupling code
Shaft / bore and keyway	Dimensions where applicable

INCLUDE WITH YOUR ENQUIRY

Original reference, belt/chain standard, dimensions, bore and keyway details, and required quantity.

Quantity: _____ Required date: _____

Company / RFQ reference: _____

Exact replacement only / alternative for approval: _____

CONTACT & DOCUMENTATION

View this product and choose specifications at beccentric.net

WhatsApp Mary: +263 780 864 277
WhatsApp Tino: +263 779 098 357
Email: sales@beccentric.net

Request a drawing, material certificate, food-contact declaration or safety data sheet when your application requires one. These documents relate to the exact product quoted.

Related replacement sourcing

Drive Belts, Chains & Couplings

Bellows, jaw & HRC couplings

Send the complete coupling reference, both shaft diameters, keyways, shaft separation, torque/speed and whether you need a complete coupling or an element. Different coupling types are not automatically interchangeable.

Torque limiters

Provide the complete torque-limiter reference, required torque, bore and keyway, driven speed and mounting drawing. Confirm the reset or slip behaviour and the equipment application.

Prepared by Beccentric (Pvt) Ltd. Compiled 13 November 2026. Contact Beccentric to confirm the exact configuration and supporting documentation.